
ALUCOLUX[®]

WORLD OF COLOURS

Outstanding quality colours and surfaces





ADD SOME SPICE

These colors have truly earned unwavering admiration with their unrivalled versatility and remarkable dependability in a diverse array of settings. With an impressive range of vibrant, metallic and solid options at your fingertips, these hues form the bedrock of any successful color scheme.

Vibrant colors can be used to craft a unique appearance that evokes a range of emotions and reactions. Imagine the daring and audacious effect of Lemon, the electrifying and vibrant display of Red, or the mesmerizing and enchanting allure of Intense Blue. In contrast, metallic colors offer a tantalizing array of captivating visual effects that transform under varying

lighting conditions and viewing angles, elevating your building to new heights of brilliance and radiance. Solid colors exude a refined and subtle elegance, imbuing your building with a sense of timelessness and sophistication.

These options have been rigorously tested and proven to be a resounding success, leaving a lasting impression on both users and passers-by alike. Rest assured that whether you opt for vibrant, metallic or solid colors, you can bask in the confidence that these colors will leave a significant impact on your building's appearance.

VIBRANT COLOURS



METALLIC COLOURS



SOLID COLOURS



GENERAL INFORMATION

ALUCOLUX® features a multi-coat, multi-bake process on a continuous coil coating line using the highest grade of PVDF/FEVE paint system. The multiple layers are individually cured at temperatures of between 200-260 °C. The quality of the coating is tested according to standards established by E.C.C.A. (European Coil Coating Association) of which 3A Composites is a member. Fluorocarbon (PVDF) coating systems combine good formability and excellent surface durability. They are extremely resistant to weathering, strong solar radiation and pollution. The colour reproduction in this chart is subject to printing limitations. For exact colour matching, request actual colour samples.

The standard gloss for colours is between 30% - 40% according to Gardner Scale.

Minimum order quantities apply.

For more information please refer to your nearest

ALUCOLUX® representative or visit www.alucolux.com

ONLY FOR METALLIC COLOURS

To avoid possible reflection variations, it is recommended to install the panels in the same direction as marked on the protective peel-off-foil. Colour variations may occur between panels originating from different production batches. To ensure colour consistency, the total requirement for a project must be placed in one order.


WE'LL DO IT FOR YOU

Are you still searching for that elusive color that perfectly captures your vision? Look no further than our services. We take immense pride in our ability to match any color, even if it is not currently featured in our color charts.

Our ultimate goal is to bring your unique vision to life, and we will stop at nothing to make that a reality. Whether you're

seeking a bold and vibrant hue, or a subtle and nuanced shade, our team of experts will use their unmatched skill and expertise to match your precise specifications.

Trust us to bring your vision to life, and experience the unparalleled satisfaction that comes with seeing your vision come to fruition.



Your vision materialized. ALUCOLUX

ALUCOBOND (FAR EAST) PTE LTD

6 Shenton Way #40-05
OUE Downtown 1
Singapore 068809
Tel: (65) 6303 9750
Fax: (65) 6303 9751
Email: sales@alucobond.com.sg
www.alucolux.com
www.alucobond.com.sg

3A COMPOSITES INDIA PVT. LTD.

Bldg. No. 11, Unit No. 1112, 1st Floor Solitaire Corporate Park Mathuradas Vasanji Marg Andheri (East) Mumbai - 400 093, India Telephone: (91) 22 4256 4500 Telefax: (91) 22 4010 4132 Email: alucobond.india@3acomposites.com www.alucobond.in

3A COMPOSITES GmbH

Alusingenplatz 1 D-78224 Singen, Germany Tel: (49) 0 7731 941 0 Fax: (49) 0 7731 941 3510 Email: info.eu@alucobond.com www.alucobond.com

3A COMPOSITES MIDDLE EAST (BRANCH)

Almas Tower, JLT
P.O. Box 340 505, Dubai
U.A.E
Mob: (971) 50 5574676
Email: markus.setz@3AComposites.com
www.alucobond.com

3A COMPOSITES (JIANGSU) LTD.

10 South Hehuan Road Zhonglou, Changzhou 213023, China Tel: (86) 519 8166 5766 Fax: (86) 519 8166 5999 Email: info.china@alucobond.com www.alucobond.com.cn

3A COMPOSITES USA, Inc.

3480 Taylorsville Highway, Statesville, N.C.28625 U.S.A Tel: (1) 704 872-8974 Fax: (1) 704 878-2708 Email: info.usa@3AComposites.com www.alucobondusa.com

